

# Aquaculture

VOL. 309 NOS. 1-4

CONTENTS

22 NOVEMBER 2010

(Abstracts/contents list published in: Aquatic Science and Fisheries Abstracts, Biological Abstracts, Elsevier BIOBASE/Current Awareness in Biological Sciences, Current Contents A, B & ES, EMBiology, Environment Abstracts, Freshwater and Aquaculture Contents Tables, Geo Abstracts, Geobase, Marine Science Contents Tables, Zoological Record). Also covered in the abstract and citation database SCOPUS®.  
Full text available in ScienceDirect®

## Review

Molecular studies, disease status and prophylactic measures in grouper aquaculture: Economic importance, diseases and immunology

R. Harikrishnan (Jeju, South Korea), C. Balasundaram (Tiruchirapalli, India) and M.-S. Heo (Jeju, South Korea) . . . . 1

## Diseases

The health status of European silver eels, *Anguilla anguilla*, in the Dutch River Rhine Watershed and Lake IJsselmeer O.L.M. Haenen (Lelystad, The Netherlands), J. Lehmann (Kirchhundem-Albaum, Germany), M.Y. Engelsma (Lelystad, The Netherlands), F.-J. Stürenberg (Kirchhundem-Albaum, Germany), I. Roozenburg, S. Kerkhoff (Lelystad, The Netherlands) and J.K. Breteler (Utrecht, The Netherlands) . . . . . 15

Flow cytometry analysis of softness syndrome effects on hemocytes of the tunicate *Halocynthia roretzi* D.-L. Choi, N.-S. Lee, M.S. Kim, J.S. Seo, M.A. Park, J.W. Kim and J.Y. Hwang (Busan, Republic of Korea). . . . . 25

The cytosolic manganese superoxide dismutase cDNA in swimming crab *Portunus trituberculatus*: Molecular cloning, characterization and expression J. Li, P. Chen, P. Liu, B. Gao, Q. Wang and J. Li (Qingdao, PR China). . . . . 31

A case report on the distended gut syndrome (DGS) in cultured larvae of Atlantic cod (*Gadus morhua*) Y. Kamisaka, A.-E.O. Jordal, R.B. Edvardsen, H. Kryvi (Bergen, Norway), E. Otterlei (Stord, Norway) and I. Rønnestad (Bergen, Norway) . . . . . 38

*Alteromonas macleodii* 0444 and *Neptunomonas* sp. 0536, two novel probiotics for hatchery-reared Greenshell™ mussel larvae, *Perna canaliculus* A. Kesarcodi-Watson, H. Kaspar (Nelson, New Zealand), M.J. Lategan (Australia) and L. Gibson (NSW, Australia) . . . . 49

Rapid detection and quantification of *Neoparamoeba perurans* in the marine environment A.R. Bridle, P.B.B. Crosbie, K. Cadoret and B.F. Nowak (Launceston, Australia) . . . . . 56

Effect of marine red yeast *Rhodospiridium paludigenum* on growth and antioxidant competence of *Litopenaeus vannamei* S.-P. Yang (Guangzhou, Zhanjiang, Beijing, China), Z.-H. Wu, J.-C. Jian (Zhanjiang, China) and X.-Z. Zhang (Guangzhou, Zhanjiang, Beijing, China) . . . . . 62

(continued on last page of this issue)

Visit the Elsevier Aquaculture Website today!

New FREE Online Features:

- Table of Contents NOW WITH ABSTRACTS
- Full Search on Abstracts, Authors and Keywords
- Author and Subject Index

Bookmark: <http://www.elsevier.com/locate/aqua-online>  
or <http://www.elsevier.com/locate/aqua-online>



0044-8486(20101122)309:1-4;1-T

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

ScienceDirect



## Genetics

- Quantitative genetic basis of fatty acid composition in the GIFT strain of Nile tilapia (*Oreochromis niloticus*) selected for high growth  
N.H. Nguyen, R.W. Ponzone, H.Y. Yee, K.R. Abu-Bakar (Penang, Malaysia), A. Hamzah (Kedah, Malaysia) and H.L. Khaw (Penang, Malaysia) . . . . . 66
- Isolation of the Atlantic salmon  $\beta$ -actin promoter and its use to drive expression in salmon cells in culture and in transgenic zebrafish  
I. Cornejo, F.V. Sepúlveda (Valdivia, Chile), F.S.B. Kibenge (Charlottetown, Canada) and J.I. Young (Valdivia, Chile) . . . . . 75
- Tissue distribution and elimination of florfenicol in crucian carp (*Carassius auratus cuvieri*) after a single dose intramuscular or oral administration  
Y.-X. Sun, H.-Y. Zhao, Q. Shan, S. Zhu, D.-P. Zeng and Z.-C. Liu (Guangzhou, China) . . . . . 82
- Rib and vertebral deformities in rainbow trout (*Oncorhynchus mykiss*) explained by a dominant-mutation mechanism  
H. Gislason, H. Karstensen (Hvalvík, Faroe Islands), D. Christiansen (Tórshavn, Faroe Islands), K. Hjelde, S. Helland and G. Bæverfjord (Sunndalsøre, Norway) . . . . . 86

## Aquaculture Production Science

- The effect of oxygen saturation on the growth and feed conversion of Atlantic halibut (*Hippoglossus hippoglossus* L.)  
H. Thorarensen, A. Gústavsson (Sauðárkrúkur, Iceland), Y. Mallya (Sauðárkrúkur, Reykjavík, Iceland), S. Gunnarsson (Kópavogur, Iceland), J. Arnason (Akureyri, Iceland), I. Arnarson (Sauðárkrúkur, Iceland), A.F. Jónsson, H. Smáradóttir (Akureyri, Iceland), G.Th. Zoega (Reykjavík, Iceland) and A.K. Imsland (Kópavogur, Iceland; Bergen, Norway) . . . . . 96
- Effects of photoperiod, temperature, and salinity on growth and survival of obscure puffer *Takifugu obscurus* larvae  
Y. Shi, G. Zhang, Y. Zhu and J. Liu (Shanghai, China) . . . . . 103
- Chronic toxicity of nitrate to Pacific white shrimp, *Litopenaeus vannamei*: Impacts on survival, growth, antennae length, and pathology  
D.D. Kuhn, S.A. Smith, G.D. Boardman, M.W. Angier, L. Marsh and G.J. Flick Jr. (Blacksburg, Virginia, USA) . . . . . 109
- Effects of different dietary microalgae on survival, growth, settlement and fatty acid composition of blue mussel (*Mytilus galloprovincialis*) larvae  
A.K. Pettersen, G.M. Turchini (Warrnambool, VIC, Australia), S. Jahangard, B.A. Ingram (Queenscliff, VIC, Australia) and C.D.H. Sherman (Wairua Ponds, VIC, Australia) . . . . . 115
- Rapid and highly sensitive detection of *Flavobacterium psychrophilum* using high gradient immunomagnetic separation with flow cytometry  
U. Ryumae, K. Hibi (Tokyo, Japan), Y. Yoshiura (Mie, Japan), H. Ren and H. Endo (Tokyo, Japan) . . . . . 125
- Vertebral deformities in triploid Atlantic salmon (*Salmo salar* L.) underyearling smolts  
P.G. Fjelldal and T. Hansen (Matredal, Norway) . . . . . 131
- Growing amago and rainbow trout in duoculture with self-feeding systems: Implications for production and welfare  
M.J. Flood (Yamanashi, Japan), C. Noble (Tromsø, Norway), R. Kagaya (Yamanashi, Japan), B. Damsgård (Tromsø, Norway), G.J. Purser (Launceston, Tasmania, Australia) and M. Tabata (Yamanashi, Japan) . . . . . 137

## Nutrition

- The influence of temperature on the apparent lipid digestibility in Atlantic salmon (*Salmo salar*) fed *Calanus finmarchicus* oil at two dietary levels  
A.S. Borgevik (Matredal, Norway), R.J. Henderson (Scotland, UK), H. Mundheim (Fyllingsdalen, Norway), R. Waagbø (Bergen, Norway), D.R. Tocher (Scotland, UK) and R.E. Olsen (Matredal, Norway) . . . . . 143
- Replacement of fish oil in plant based diets for Pacific white shrimp (*Litopenaeus vannamei*)  
M.L. González-Félix (Sonora, Mexico), F.S.D. da Silva, D.A. Davis (Auburn, AL, USA), T.M. Samocha, T.C. Morris, J.S. Wilkenfeld (Corpus Christi, TX, USA) and M. Perez-Velazquez (Sonora, Mexico) . . . . . 152
- Dietary taurine supplementation enhances metamorphosis and growth potential of *Solea senegalensis* larvae  
W. Pinto, L. Figueira (Faro, Portugal), L. Ribeiro (Olhão, Portugal), M. Yúfera (Cádiz, Spain), M.T. Dinis and C. Aragão (Faro, Portugal) . . . . . 159
- Replacing dietary fish oil with palm fatty acid distillate improves fatty acid digestibility in rainbow trout, *Oncorhynchus mykiss*, maintained at optimal or elevated water temperature  
W.-K. Ng (Penang, Malaysia), B.M. Codabaccus (Launceston, Hobart, Tasmania, Australia), C.G. Carter and P.D. Nichols (Hobart, Tasmania, Australia) . . . . . 165
- Influence of fermentation conditions for soybean meal in a non-fish meal diet on the growth performance and physiological condition of rainbow trout *Oncorhynchus mykiss*  
T. Yamamoto (Mie, Japan), Y. Iwashita (Shizuoka, Japan), H. Matsunari, T. Sugita, H. Furuita (Mie, Japan), A. Akimoto, K. Okamatsu (Ibaraki, Japan) and N. Suzuki (Shizuoka, Japan) . . . . . 173
- Growth and tissue mineralisation of Atlantic cod (*Gadus Morhua*) fed soluble P and Ca salts in the diet  
K. Kousoulaki (Fyllingsdalen, Norway), P.G. Fjelldal (Matredal, Norway), A. Aksnes (AS, Norway) and S. Albrektssen (Fyllingsdalen, Norway) . . . . . 181
- Influences of food particle size on growth, size heterogeneity, food intake and gastric evacuation in juvenile Nile tilapia, *Oreochromis niloticus*, L., 1758  
M.S. Azaza, M.N. Dhraief, M.M. Kraiem (Salammbô, Tunisia) and E. Baras (Montpellier cedex, France) . . . . . 193

Effect of diet on growth performance, feed efficiency and nutritional composition of <i>Octopus vulgaris</i> E. Prato, G. Portacci and F. Biantolino (Taranto, Italy) . . . . .	203
Lipid requirements of the scallop <i>Pecten maximus</i> (L.) during larval and post-larval development in relation to addition of <i>Rhodomonas salina</i> in diet R. Gagné, R. Tremblay (QC, Canada), F. Pernet (Sète, France), P. Miner, J.-F. Samain (Plouzané, France) and F. Olivier (Dinard, France) . . . . .	212
Effects of dietary $\alpha$ -linolenic acid (18:3n-3)/linoleic acid (18:2n-6) ratio on growth performance, fillet fatty acid profile and finishing efficiency in Murray cod S.P.S.D. Senadheera (Warrnambool, Victoria, Australia; Colombo, Sri Lanka), G.M. Turchini (Warrnambool, Victoria, Australia), T. Thanuthong (Warrnambool, Victoria, Australia; Songkhla, Thailand) and D.S. Francis (Warrnambool, Victoria, Australia) . . . . .	222
<b>Physiology and Endocrinology</b>	
Effect of pre-slaughter procedures on stress responses and some quality parameters in sea-farmed rainbow trout ( <i>Oncorhynchus mykiss</i> ) G.V. Merkin (Bergen, Norway), B. Roth (Stavanger, Norway), C. Gjerstad (Bergen, Norway), E. Dahl-Paulsen (Osterøy, Norway) and R. Nortvedt (Bergen, Norway) . . . . .	231
Effect of elevated winter-spring water temperature on sexual maturation in photoperiod manipulated stocks of rainbow trout ( <i>Oncorhynchus mykiss</i> ) R.J. Wilkinson, R. Longland, H. Woolcott (Launceston, Tasmania, Australia) and M.J.R. Porter (Deception Bay, Queensland, Australia) . . . . .	236
Proteomic analysis of muscle tissue from gilthead sea bream ( <i>Sparus aurata</i> , L.) farmed in offshore floating cages M.F. Addis (Alghero, Sassari, Italy), R. Cappuccinelli, V. Tedde, D. Pagnozzi, M.C. Porcu, E. Bonaglini, T. Roggio (Sassari, Italy) and S. Uzzau (Alghero, Sassari, Italy) . . . . .	245
Effects of dietary prebiotics on growth performance, immune response and intestinal morphology of red drum ( <i>Sciaenops ocellatus</i> ) Q.-C. Zhou (Ningbo, People's Republic of China), J.A. Buentello and D.M. Gatlin III (College Station, Texas, USA) . . . . .	253
Non-lethal determination of sex and reproductive condition of Eastern oysters <i>Crassostrea virginica</i> Gmelin using protein profiles of hemolymph by Proteinchip® and SELDI-TOF-MS technology Y. Li (Milford, CT, USA), G. Siddiqui (Karachi, Pakistan) and G.H. Wikfors (Milford, CT, USA) . . . . .	258
Dietary administration of probiotic Pdp11 promotes growth and improves stress tolerance to high stocking density in gilthead seabream <i>Sparus auratus</i> J.L. Varela, I. Ruiz-Jarabo (Cádiz, Spain), L. Vargas-Chacoff (Cádiz, Spain; Valdivia, Chile), S. Arijó, J.M. León-Rubio, I. García-Millán (Málaga, Spain), M.P. Martín del Río (Cádiz, Spain), M.A. Moriñigo (Málaga, Spain) and J.M. Mancera (Cádiz, Spain) . . . . .	265
Changes in muscle and blood plasma proteomes of Atlantic salmon ( <i>Salmo salar</i> ) induced by crowding E. Veiseth-Kent, H. Grove, E.M. Færgestad and S.O. Fjæra (Ås, Norway) . . . . .	272
<b>Short Communications</b>	
Comparative mitochondrial genomics within sea cucumber ( <i>Apostichopus japonicus</i> ): Provide new insights into relationships among color variants X.-J. Sun, Q. Li and L.-F. Kong (Qingdao, China) . . . . .	280
Impact of temperature on larval development and evolution of physiological indices in <i>Crassostrea gigas</i> R.B. Kheder, J. Moal and R. Robert (Plouzané, France) . . . . .	286
Sperm-egg incompatibility in inter-specific inseminations of <i>Penaeus</i> ( <i>Litopenaeus</i> ) <i>occidentalis</i> , <i>P.</i> ( <i>Litopenaeus</i> ) <i>stylirostris</i> and <i>P.</i> ( <i>Litopenaeus</i> ) <i>vannamei</i> K. Ulate and J. Alfaro-Montoya (Puntarenas, Costa Rica) . . . . .	290
Spermatozoa of Sharpnose sea bream ( <i>Diplodus puntazzo</i> ) and European sea bass ( <i>Dicentrarchus labrax</i> ) express opioid receptors G. Aiudi, F.A. Bucci, A. De Sandro Salvati, A.C. Guaricci and M. Albrizio (Valenzano, Italy) . . . . .	293

